
## PHF FX400-45X75



d (in)       1.77         D (mm)       75         d <sub>w</sub> (mm)       -         L (mm)       -         L <sub>1</sub> (mm)       56         L <sub>2</sub> (mm)       -         B (mm)       72         D <sub>1</sub> (mm)       -         d <sub>1</sub> (mm)       -         e (mm)       -         F <sub>t</sub> Transmissible axial force (kN)       155         Mh <sub>t</sub> Transmissible torque (Nm)       3460         P <sub>w</sub> Shaft surface pressure (N/mm²)       165         P <sub>n</sub> Hub surface pressure (N/mm²)       100         Clamp screws Qty       8         Clamp screws size M8       Clamp screws nut         M <sub>s</sub> Screw tightening torque (Nm)       41         Weight (kg)       1.3	Bushing no.	FX400
D (mm) 75  d <sub>w</sub> (mm) -  L (mm) -  L <sub>1</sub> (mm) 56  L <sub>2</sub> (mm) 64  L <sub>3</sub> (mm) -  B (mm) 72  D <sub>1</sub> (mm) -  d <sub>1</sub> (mm) -  e (mm) -  F <sub>t</sub> Transmissible axial force (kN)  M <sub>t</sub> Transmissible torque (Nm)  P <sub>w</sub> Shaft surface pressure (N/mm²)  P <sub>n</sub> Hub surface pressure (N/mm²)  Clamp screws Qty 8  Clamp screws out -  M <sub>s</sub> Screw tightening torque (Nm)	d (mm)	45
dw (mm)       -         L (mm)       -         L1 (mm)       56         L2 (mm)       64         L3 (mm)       -         B (mm)       72         D1 (mm)       -         e (mm)       -         Ft Transmissible axial force (kN)       155         Mt Transmissible torque (Nm)       3460         Pw Shaft surface pressure (N/mm²)       165         Pn Hub surface pressure (N/mm²)       100         Clamp screws Qty       8         Clamp screws size       M8         Clamp screws nut       -         Ms Screw tightening torque (Nm)       41	d (in)	1.77
L (mm)       -         L1 (mm)       56         L2 (mm)       64         L3 (mm)       -         B (mm)       72         D1 (mm)       -         d1 (mm)       -         e (mm)       -         Ft Transmissible axial force (kN)       3460         Mt Transmissible torque (Nm)       3460         Pw Shaft surface pressure (N/mm²)       100         Pn Hub surface pressure (N/mm²)       100         Clamp screws Qty       8         Clamp screws size       M8         Clamp screws nut       -         Ms Screw tightening torque (Nm)       41	D (mm)	75
L1 (mm)       56         L2 (mm)       64         L3 (mm)       -         B (mm)       72         D1 (mm)       -         d1 (mm)       -         e (mm)       -         Ft Transmissible axial force (kN)       155         Mt Transmissible torque (Nm)       3460         Pw Shaft surface pressure (N/mm²)       165         Pn Hub surface pressure (N/mm²)       100         Clamp screws Qty       8         Clamp screws nut       -         Ms Screw tightening torque (Nm)       41	d <sub>w</sub> (mm)	-
L <sub>1</sub> (mm)  L <sub>2</sub> (mm)  64  L <sub>3</sub> (mm)  -  B (mm)  72  D <sub>1</sub> (mm)  -  d <sub>1</sub> (mm)  -  e (mm)  -  F <sub>t</sub> Transmissible  axial force (kN)  M <sub>t</sub> Transmissible  torque (Nm)  P <sub>w</sub> Shaft surface  pressure (N/mm²)  P <sub>n</sub> Hub surface  pressure (N/mm²)  Clamp screws Qty  Clamp screws Qty  Clamp screws nut  M <sub>s</sub> Screw  tightening torque  (Nm)	L (mm)	-
L <sub>3</sub> (mm) - B (mm) 72  D <sub>1</sub> (mm) - d <sub>1</sub> (mm) - e (mm) - F <sub>t</sub> Transmissible axial force (kN) M <sub>t</sub> Transmissible torque (Nm) P <sub>w</sub> Shaft surface pressure (N/mm²) P <sub>n</sub> Hub surface pressure (N/mm²) Clamp screws Qty 8 Clamp screws size M8 Clamp screws nut - M <sub>s</sub> Screw tightening torque (Nm)	L <sub>1</sub> (mm)	56
B (mm) 72  D <sub>1</sub> (mm) - d <sub>1</sub> (mm) - e (mm) - F <sub>t</sub> Transmissible 155 axial force (kN) M <sub>t</sub> Transmissible torque (Nm) P <sub>w</sub> Shaft surface pressure (N/mm²) P <sub>n</sub> Hub surface pressure (N/mm²) Clamp screws Qty 8 Clamp screws size M8 Clamp screws nut - M <sub>s</sub> Screw tightening torque (Nm)	L <sub>2</sub> (mm)	64
D <sub>1</sub> (mm)  d <sub>1</sub> (mm)  e (mm)  F <sub>t</sub> Transmissible  axial force (kN)  M <sub>t</sub> Transmissible  torque (Nm)  P <sub>w</sub> Shaft surface  pressure (N/mm²)  P <sub>n</sub> Hub surface  pressure (N/mm²)  Clamp screws Qty  Clamp screws size  M8  Clamp screws nut  M <sub>s</sub> Screw  tightening torque  (Nm)	L <sub>3</sub> (mm)	-
d <sub>1</sub> (mm) - e (mm) - F <sub>t</sub> Transmissible 155 axial force (kN) M <sub>t</sub> Transmissible 3460 torque (Nm) P <sub>w</sub> Shaft surface pressure (N/mm²) P <sub>n</sub> Hub surface pressure (N/mm²) Clamp screws Qty 8 Clamp screws size M8 Clamp screws nut - M <sub>s</sub> Screw tightening torque (Nm)	B (mm)	72
e (mm) -  F <sub>t</sub> Transmissible axial force (kN)  M <sub>t</sub> Transmissible torque (Nm)  P <sub>w</sub> Shaft surface pressure (N/mm²)  P <sub>n</sub> Hub surface pressure (N/mm²)  Clamp screws Qty  Clamp screws size  M8  Clamp screws nut  M <sub>s</sub> Screw tightening torque (Nm)	D <sub>1</sub> (mm)	-
F <sub>t</sub> Transmissible axial force (kN)  M <sub>t</sub> Transmissible torque (Nm)  P <sub>w</sub> Shaft surface pressure (N/mm²)  P <sub>n</sub> Hub surface pressure (N/mm²)  Clamp screws Qty  Clamp screws size  M8  Clamp screws nut  M <sub>s</sub> Screw tightening torque (Nm)	d <sub>1</sub> (mm)	-
axial force (kN)  Mt Transmissible torque (Nm)  Pw Shaft surface pressure (N/mm²)  Pn Hub surface pressure (N/mm²)  Clamp screws Qty  Clamp screws size  M8  Clamp screws nut  Ms Screw tightening torque (Nm)	e (mm)	-
M <sub>t</sub> Transmissible torque (Nm)  P <sub>w</sub> Shaft surface pressure (N/mm²)  P <sub>n</sub> Hub surface pressure (N/mm²)  Clamp screws Qty  Clamp screws size M8  Clamp screws nut  M <sub>s</sub> Screw tightening torque (Nm)	F <sub>t</sub> Transmissible	155
torque (Nm)  P <sub>w</sub> Shaft surface pressure (N/mm²)  P <sub>n</sub> Hub surface pressure (N/mm²)  Clamp screws Qty  Clamp screws size M8  Clamp screws nut  M <sub>s</sub> Screw tightening torque (Nm)	axial force (kN)	
P <sub>w</sub> Shaft surface pressure (N/mm²)  P <sub>n</sub> Hub surface pressure (N/mm²)  Clamp screws Qty 8  Clamp screws size M8  Clamp screws nut -  M <sub>s</sub> Screw tightening torque (Nm)		3460
pressure (N/mm²)  P <sub>n</sub> Hub surface pressure (N/mm²)  Clamp screws Qty  Clamp screws size  M8  Clamp screws nut  M <sub>s</sub> Screw tightening torque (Nm)	<u>,</u>	
P <sub>n</sub> Hub surface 100 pressure (N/mm²) Clamp screws Qty 8 Clamp screws size M8 Clamp screws nut - M <sub>s</sub> Screw 41 tightening torque (Nm)		165
pressure (N/mm²)  Clamp screws Qty  Clamp screws size  Clamp screws nut  M <sub>s</sub> Screw  tightening torque (Nm)		100
Clamp screws Qty  Clamp screws size  Clamp screws nut  M <sub>s</sub> Screw tightening torque (Nm)  8  41	••	100
Clamp screws size M8  Clamp screws nut -  M <sub>s</sub> Screw 41  tightening torque (Nm)		8
Clamp screws nut  M <sub>s</sub> Screw  tightening torque (Nm)		M8
M₅ Screw 41 tightening torque (Nm)		-
tightening torque (Nm)		41
(Nm)	-	
ļ <del>-</del>		
** C'D'' (''D)	Weight (kg)	1.3



<sup>®</sup> SKF is a registered trademark of the SKF Group
© SKF Group 2012
The contents of this publication are the copyright of the publisher and may not be reproduced (even extracts) unless prior written permission is granted. Every care has been taken to ensure the accuracy of the information contained in this publication but no liability can be accepted for any loss or damage whether direct, indirect or consequential arising out of the use of the information contained herein.